

APPEAL and GENERAL REMARKS

	A	B
1	Apell an die Produzenten und Verkaeuer von research chemicals, spices etc...	Seid euch bewusst, dass ihr nur deswegen Verkaufserfolg habt, weil die „normalen“ Substanzen kriminalisiert wurden. Auch ihr als Produzenten und Verkaeuer habt eine Verantwortung gegenueber euren Kunden und Produkten! Also verkauft keine Substanzen, die ihr nicht selbst getestet habt. Gebt (da es sein muss: versteckte) Hinweise zur Toxizitaet, etwa in der Form: <i>„Nicht zum Verzehr! Bei versehentlichem Verschlucken von mehr alsmg, unbedingt Arzt aufsuchen!“</i>
2		
3	Appeal to producers and sellers of research chemicals etc...	Have in mind that your succes based on <i>war on drugs</i> only. You as producer and seller bears responsibility for customer service and satisfaction. Don´t sell substances not tested by yourself! Give hints and warnings, such as: <i>„Unfit for human consumption! Likely to cause severe harm if accidentally swallowed in doses larger thanmg. In that case it is highly recommended to seek medical advice!“</i>
4		

APPEAL and GENERAL REMARKS

	A	B
5	Derzeitige Aussagen zu den Substanzen	<p>PEA-NDEPA-Salze sind hygroskopisch, kristallisieren nur sehr langsam und sind daher mühsam zu reinigen. Sie scheinen mir jedoch Substanz-abhängig Wirkungssteigerungen und qualitative Wirkungsveränderungen gegenüber ihren zugehörigen PEA zu zeigen. Hier könnten Änderungen sowohl im PEA-, als auch im NDEPA-Teil (noch mehr in Richtung LSD-Ähnlichkeit) interessante neue Substanzen ergeben (es scheint so, dass vor allem die Amphetamin-Analogen die stärkere Wirkung zeigen).</p> <p>PEA-NB...haben meist höhere und qualitativ andere Wirksamkeit, als ihre zugehörigen PEA. Für starke Wirkung scheint eine freie Elektronenpaar-tragende Gruppe in der N-ständigen Benzylgruppe (z.B. -OH oder -OCH₃) in ortho-Stellung nötig: je stärker dort die Elektronendonoreigenschaft ist, desto wirksamer, aber möglicherweise auch toxischer (z.B. -OC₂H₅ > -OCH₃, ansteigender induktiver +I-Effekt https://en.wikipedia.org/wiki/Inductive_effect und Steigerung der Lipophilie https://en.wikipedia.org/wiki/Lipophilic_efficiency.) Mit dieser Arbeitshypothese bieten sich eine Fülle von neuen zu testenden RC an (z.B. ortho-OCH₃ ersetzen durch ortho-OC₂H₅, -O-allyl, -O-iso-Propyl..., -SH, -S-alkyl, -NH₂, -NH-alkyl, -N(alkyl)₂, usw... aber auch Heterocyklen, wie z.B. 2-pyridyl-methyl-, 2-thienyl-methyl-... etc. könnten als N-Substituent wirksam sein, wie das Beispiel 2C-D-N3TM zeigt). Der PEA-Teil der PEA-NB...kann ebenfalls variiert werden: Am wirksamsten scheint hier 2,5-Dimethoxy-4-chlor-PEA-NB..., aber auch die 3,4,5-Trialkoxy-PEA-NB... (z.B. mit Mescaline, Escaline etc.) haben gesteigertes Potential, welches sich vielleicht lohnen würde zu untersuchen, da ich auch immer eine qualitative Wirk-Änderung gegenüber den zugehörigen Ausgangs-PEA meine feststellen zu können.</p>
6	Present statements to the substances	<p>PEA-NDEPA-salts are hygroscopic, crystallise only very slowly and, hence, are to be cleaned laboriously. Nevertheless, they show, dependent on substance, effect-increases and qualitative effect changes compared with her accompanying PEA. Here changes in PEA-, as well as in the NDEPA part (nearer to the LSD-structure) could prove interesting new substances (it seems that above all the amphetamine analogous show the stronger effects).</p> <p>PEA-NB... mostly have greater effectiveness and qualitatively other effects, than her accompanying PEA. For strong effect a group with a free Electron pair in the N-Benzyl seems necessary at ortho position (e.g. -OCH₃): the stronger the Electron donating power, the more efficiently, but possibly also more toxically works the substance (e.g. -OC₂H₅ > -OCH₃, increasing order of +I-inductive effect https://en.wikipedia.org/wiki/Inductive_effect and increasing lipophilicity https://en.wikipedia.org/wiki/Lipophilic_efficiency.) This working hypothesis offers a large amount of new RC to be tested: e.g. replacement of ortho-OCH₃ by ortho-OC₂H₅, -O-allyl, -O-iso-Propyl..., -SH, -S-alkyl, -NH₂, -NH-alkyl, -N(alkyl)₂, etc.... but also Heterocycles, e.g. 2-pyridyl-methyl-, 2-thienyl-methyl-... etc. could be effective, as the example 2C-D-N3TM points out. The PEA-part of the PEA-NB... also may be change. The most effective seems to be 2,5-Dimethoxy-4-chlor-PEA-NB..., but also the 3,4,5-Trialkyl-PEA-NB... (e.g. with Mescaline, Escaline...etc.) show increased potential compared to her mother-PEA.</p>


APPEAL and GENERAL REMARKS

	A	B
7	Warum ich neue „research chemicals“ finden und veröffentlichen möchte.	<p><i>Der Mensch braucht hin und wieder einen Rausch.</i> Er hat ein Recht darauf! Welche Art Rausch und welches Mittel er dabei benutzt, sollte er selbst entscheiden können. Sucht sollte rein als gesellschaftlich-psychisches Problem angesehen werden. Nicht die Substanz macht abhängig: die Charakterstruktur des Dispositionierten sucht sich, durch bedrückend empfundene Lebensqualität scheinbar nahegelegt und verstärkt, ihre spezielle Abhängigkeit! Das kann dann alles sein: Arbeit, Kunst, Essen, Alkohol, Sex, Heroin, Süßigkeiten, Rennautos, Macht...etc, das täuscht dann eine Problemlösung vor, oder hilft zumindest der Problemverdrängung, aber selbstverständlich nicht der -lösung. „War on Drugs“ wird hingegen weitergehen. <i>Eugene Jarecki</i> zeigte durch sorgfältige Recherchen die politischen Gründe, die seit beginnendem 20. Jahrhundert erst zur Diskriminierung, dann Illegalisierung von Drogenkonsum in den USA führte. Konkret waren und sind besonders die Afroamerikaner betroffen: http://www.theguardian.com/society/2013/mar/30/eugene-jarecki-war-on-drugs. Mittlerweile kann dieser Drogenkrieg schon deswegen kaum vermindert oder gestoppt werden, da sich eine komplette selbstständige Bekämpfungswirtschaft etabliert hat. Deutschland, zusammen mit weltweit vielen anderen Staaten, trat unterwerflich-pflichtschuldigst der UN-„Konvention über Psychotrope Substanzen“ bei, http://de.wikipedia.org/wiki/Konvention_%C3%BCber_psychotrope_Substanzen und beauftragte sich so der Möglichkeit, eigene intelligentere und sachgerechtere Ansichten zum Drogenkonsum zu diskutieren, zu entwickeln und zu realisieren. Es folgte ebenfalls Diskriminierung und Kriminalisierung. Sehr erfolgreich eingeführte (seit mehr als 50 Jahren!), hilfreiche psychotherapeutische Verfahren, die sich der lockenden Wirkung von Psycholytika bedienen, wurden in der Öffentlichkeit diskriminiert und die einzusetzenden Substanzen im Betäubungsmittelgesetz (BtMG) illegalisiert (z.B. Mescalin, MDMA, LSD, Psilocybin...). Die Weiterentwicklung dieser wirksamen Verfahren ist in Deutschland skandalöserweise nahezu eingeschlafen (Psycholytische Psychotherapie https://de.wikipedia.org/wiki/Psycholytische_Psychotherapie, während andere Länder da schon einsichtiger geworden sind, z.B. Schweiz, USA...). Mit der Kriminalisierung des Rauschmittelgebrauchs wird in die freie Persönlichkeitsentwicklung der Menschen unzulässiger- und unnötigerweise eingegriffen. Es wird immer Menschen geben, die mit gefährlichen Werkzeugen nicht umgehen können, deswegen aber den Gebrauch komplett zu verbieten, ist diktatorische Willkür, geboren aus Hilflosigkeit und/oder Überforderung – auch finanzieller Art. Eine diesbezügliche Klage vor dem Europäischen Gerichtshof für Menschenrechte könnte hier erhellend wirken; leider sehe ich mich nicht in der Lage, eine solche Klage anzustossen und durchzusetzen. Die Welle der „research chemicals“ hält zumindest den Druck auf Diskussion und Gesetzgebung aufrecht, sich in Richtung „Intelligentere Drogenadaption“ zu bewegen, bei gleichzeitig verstärkter sinnvoller Hilfe für Abhängige. Ich persönlich freue mich, in 2C-C-NB25diOMe ein Mittel gegen meine morgendlichen depressiven Zustände gefunden zu haben; Dosis <i>nur</i> ~3...6µg! abends, Schlaf danach und nächster Tag o.k.</p>
8	my reasons for finding out and publishing new research chemicals?	<p><i>Humans need an intoxication or drunkenness or ecstasy from time to time.</i> And they should be allowed to decide by their own, wish one. <i>War on drugs</i> will continue. <i>Eugene Jarecki</i> carefully researches show the political reasons for this war and failure for a policy that is urgently in need of rethinking. Followed by discrimination of and war on the BLACK (<i>Eugene Jarecki</i> and the campaign to end America's war on drugs: http://www.theguardian.com/society/2013/mar/30/eugene-jarecki-war-on-drugs). A big industry of suppression and repression has taken on a life of its own and can hardly be stopped. Research chemicals will help to build up more pressure in discussing and legislating for more liberalisation and more intelligent use.</p>


APPEAL and GENERAL REMARKS

	A	B
9	Englische Version	Entschuldigt mein schlechtes Englisch, trotzdem ist es hoffentlich fuer Englischsprachige verstaendlich.
10	English version	Sorry for my terrible English, never the less, the smattering of English may be understood from others not speaking German.
11	Mein set und setting	Bin leicht depressiv. Trips mit geringen Mengen, oft waehrend nordic walking in der Natur, oder mit Musik zuhause, helfen meistens; ebenfalls kleine Mengen (3...6µg!) z.B. 2C-C-NB25diOMe am Abend. Erwartungshaltung (bei hoeheren Dosen): Wirkung wie Mescaline oder LSD. Alles, was ich hier aussage ueber Wirkung der Substanzen gilt <i>selbstverstaendlich nur fuer mich</i> als bisher einzige Testperson; anderen Personen habe ich die Substanzen nicht gegeben und werde dies auch in Zukunft nicht tun. Jeder wird individuell, nach Maßgabe von set und setting und sonstigen persoenlichen Besonderheit, reagieren.
12	set and setting	Slightly depressed; trips with small amounts, mostly during nordic walking in nature or listening music at home, helps mostly; also small amounts (3...6µg!) of e.g. 2C-C-NB25diOMe in the evening. Expect (at higher doses) Mescaline-/LSD-like response. All results and statements are self-evident valid to me only, as the only test person.
13	Meine Dosis	normalerweise nur geringe Mengen; hoehere Dosen vertrage ich nicht mehr.
14	My dose:	usually small amounts only; higher doses I hardly can tolerate any more.
15	Unsicherheit der Dosisangabe	Die Zahl der angegebenen Stellen ist nicht signifikant, sondern rechnerisch bedingt. ±(3...30%) Unsicherheit sind – dosisabhaengig – realistisch.
16	Uncertainties of dose:	Number of digits are not significant but only contributed to computation. ±(3...30%) uncertainties are – dose dependent – realistic.
17	Abkuerzungen	s.l.: unter der Zunge (sub lingua) fuer ...minuten. o.e.s.: geschluckt auf nuechternem Magen (oral empty stomach)
18	Abbreviations	s.l.: sublingual for ...minutes; o.e.s.: oral on empty stomach


PEA-NDEPA

	A	B	C	D	E	F	G	H
1	TMA2-NDEPA or 245-NDEPA	test Nr.	Salt	Dose of free base [nMol/kg]; (M=352 g/Mol)	Dose [mg] of free base related to a 75 kg body	Appli- cation	dura- tion	Short-stories
2								
3	C₁₉H₃₂N₂O₄							
4		1	sulfate	29	0,77	o.e.s.		no significant effects
5		2	sulfate	58	1,53	o.e.s.		no significant effects
6		3	sulfate	69	1,82	s.l. then o.e.s.	~4 h	low vague effects; tinnitus increased; positiv
7		4	sulfate	99	2,61	s.l.~10'; then o.e.s.	5 to 9 h	tastes terrible; fast coming of a vague effect; weak but positive; other quality than TMA-2; gently / kindly; partly euphoric; sociabl; recreated; more or less than TMA2.
8		5	H-tart*	137	3,62	o.e.s.	~6 to ? h	low effects; distraction; weak-kneed; allover unpleasant, may be because of getting stuck in coming up. Psychedelic yes - but unpleasant like TMA-2 itself (to me!)at higher doses; recreate; More power than TMA2.
9	*H-tart = Hydrogentartrate							
10								
11								
12								


PEA-NDEPA


	A	B	C	D	E	F	G	H
13	DMPEA-NDEPA or 34-NDEPA	test Nr.	Salt	Dose of free base [nMol/kg]; (M=308 g/Mol)	Dose [mg] of free base related to a 75 kg body	Appli- cation	dura- tion	Short-stories
14								
15	$C_{17}H_{28}N_2O_3$							
16		1	sulfate	400	9,24	o.e.s.	2 h	Weak irritations; tinnitus enhanced. Nearly no effects, as expected.
17		2	sulfate	740	17,09	o.e.s.	2 h	Weak irritations; tinnitus enhanced. Nearly no effects, as expected.
18		3	sulfate	2300	53,13	o.e.s.	3 h	Weak irritations; tinnitus enhanced. Nearly no effects, as expected.
19		4	sulfate	4600	106,26	o.e.s.	2 h	Irritations; tinnitus; something happens. Morale high; funny talks; easily find formulations. Significant? I don't know. Nearly no effects, as expected.
20								
21	3-[2-(3,4-dimethoxyphenyl)ethylamino]- N,N-diethyl-propanamide							
22								
23								
24								
25								

PEA-NDEPA

	A	B	C	D	E	F	G	H
26	M-NDEPA or 345-NDEPA	test Nr.	Salt	Dose of free base [nMol/kg]; (M=338 g/Mol)	Dose [mg] of free base related to a 75 kg body	Appli-cation	dura-tion	Short-stories
27								
28	C₁₈H₃₀N₂O₄	1; 2	sulfate	100; 1000	2,5; 25	o.e.s.		nearly nothing
29		3	sulfate	3000	76,05	o.e.s.	4 h ?	Realy terrible taste like burnt rubber. Morale high; funny talks; easily find formulations; sociable; visual enhanced clarity; recreated; more or less power compared to Mesca-line.
30								
31								
32								
33								
34	N,N-diethyl-3-[2-(3,4,5-trimethoxyphenyl)ethylamino]propanamide							
35								
36								
37								
38								
39								
40								
41								
42								
43								

PEA-NDEPA


	A	B	C	D	E	F	G	H
44	DOM-NDEPA	test Nr.	Salt	Dose of free base [nMol/kg] (M=336,5 g/Mol)	Dose [mg] of free base related to a 75 kg body	Application	duration	Short-stories
45	C ₁₉ H ₃₂ N ₂ O ₃							
46	 <p>3-[[2-(2,5-dimethoxy-4-methylphenyl)-1-methyl-ethyl]amino]-N,N-diethyl-propanamide</p>	1	chloride	19,8	0,500	s.l. 25' then o.e.s.	~9 to ? h	8:40h ~0.5mg; 1½h later something is going on. 14:30h emotional labile, psychedelic. 1h walking: nature intensively enjoyed. Very good atmosphere, calm, tender, charged with emotions. 18:00h nearly finished. 23:30h still quite lively and animated. 0:00h to bed, reading a book, I slept at ~ 0:30h. sleep was o.k. Next day wake up 7:30h with bad and depressed feelings and thoughts, tinnitus, may be sleep was not as deep as usually. 7:45h after getting up: everything o.k., but had no longer in mind to test 1mg, because afterglow seems to me to long (even next day). 16:00h afternoon naps: everthing o.k. power: more active than DOM.
47	or short: DOM-N,N-Diethylpropanamide							← Crystallizing neat HCl-salt over months
48								
49								





PEA-NDEPA

	A	B	C	D	E	F	G	H
50								
51								
55	Glossar: All, specially TMA2-NDEPA and DOM-NDEPA, should be tested s.l. too (s.l. may be more potent).							All NDEPA-salts are resinous and hygroscopic. Neat substance crystallize during weeks, months or years (if at all, see the two pictures)! From solutions never formed crystals.


PEA-NBCI

	A	B	C	D	E	F	G
1	2C-C-NBCI or 25CI-NBCI	test	free base [nMol/kg]; M=340 g/Mol	(mg free base)/ (75kg)	Applica- tion s.l. as HCl- salt in H2O	dura- tion	Short-stories
2	C ₁₇ H ₁₉ NO ₂ Cl ₂	1	1,7	0,04	20 min		no effects
3		2	3,4	0,09	20 min	4 h	Distracted; slow motion effect; something growl in stomach and solar plexus; animated; lively; good sleep; fight of dragons shortly before sleep. sleep fine
4		3	6,8	0,17	35 min	4 h	Distracted; blood pressure normal; pulse slightly increased; animated+slackness; not so fine; tinnitus; later looseness; roughly not so positiv allover; sleep fine.
5		4	14	0,36	30 min	4 h	Nordic walking; no anti-tiredness (as Mescaline has); smooth; other quality than 2C-C; weak effects; no antidepressive; sleep fine.
6	2-(4-chloro-2,5-dimethoxy-phenyl)-N- [(2-chlorophenyl)methyl]ethanamine	5	20	0,51	45 min	4 h	Pleasant; distracted to become active but concentrated in discussion or perception or grasp; growl in stomach and solar plexus; smooth and pleasant animated state; sleep fine.
7	or: 2-(4-chloro-2,5-dimethoxy-phenyl)- N-(2-chlorobenzy)- ethanamin	6	41	1,05	20 min	5 h	Smooth; other quality than 2C-C; fine structures and coulours of the vicinity captivate the attention (micro-eyes); changed meaning and importance; optical unreal pleasant; more intense; psycholytic may be; sleep fine.
8	Glossar: HCl-salt is stable, non-hygros- copic, crystalline.	7	92	2,35	30 min	5 h	Smooth and pleasant animated state; other quality than 2C-C; blood pressure slightly increased; pulse normal; but also hardly comfortale; don't want to take more for coming into the region of (pseudo-) halluzinations. On the whole: strong effects but disappointing to me, expecting more mescaline-like effects. psycholytic may be (+); sleep fine; positive, recreated, communicativ for >6h; Guess roughly 2x (or more) the intensity of 2C-C.


PEA-NB2OMe5Cl

	A	B	C	D	E	F	G
1	2C-C-NB2OMe5Cl or 25Cl-NB2OMe5Cl	Test Nr.	Free base in nMol/kg	(mg free base)/ (75kg)	Applica-tion s.l. as HCl-salt in H2O	dura-tion	Short-stories
2	C₁₈H₂₁NO₃Cl₂		M=370 g/Mol				
3		1	2	0,056	20 min	>2 h	Something is going on; realistic or placebo?
4		2	5	0,139	35 min	>4 h	Distraction; new meaning of colours; micro-eyes, echoing a little bit JB336 with its micro-halluzinations; smooth, nearly tender and gentle; nearly like 2C-C-NBCl at higher dosage; comparable with a little bit narcotic; afterglow quite nice.
5		3	10	0,278	40 min	>5 h	Distracted, later on vanished; impressions normal (means: not corrected by reason/intellect, therefore little echoing LSD); smooth, but trace of drastic actions; more intense colours of the surroundings, light intensiv and also calm, peculiar to me. Recreated, good feeling. Next day somewhat weariness and fatigue. May be psychodelic. Roughly ranging from 5 to 10 times the power of 2C-C.
6	0,5mg, after 2h still 0,44mg	4	36,3	0,940	30 min	~>8 h	(First response like test Nr. 3). Later strong response, but not so strong in the sense of psycholytic/ psychodelic. Some toxic effects: pulse and blood pressure increased slightly. Next day respiration increased slightly but significantly and symptoms like alcoholic hangover (without headaches!). Therapeutic index seems to low to me, will be no friend of this material. ~7 h later not re-created, but quite relaxed atmosphere. Much more summarized overall intensity compared to 2C-C.
7	Glossar: HCl-salt are crystalline, non-hygroscopic.						
8							← Crystallizing HCl-salt from mother-liquor
9							
10							


PEA-N3TM

	A	B	C	D	E	F	G
1	DMPEA-N3TM or 34-N3TM	Test Nr.	Free base in nMol/kg	(mg free base)/ (75kg)	Applicati-on s.l. as HCl-salt in H2O	dura-tion	Short-stories
2			M=277 g/Mol				
3	C ₁₅ H ₁₉ NO ₂ S	1...5	7...400	0,15...8,31	~30 min		? nothing (as expected)
4		6*	800	16,6	30 min		May be a trace of an effect. Unsure! Too much material for correct s.l. application, in so far: nothing (as expected)
5	 <p>2-(3,4-dimethoxyphenyl)-N-(3-thienylmethyl)ethanamine</p>						
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							

PEA-N3TM

	A	B	C	D	E	F	G
26	2C-D-N3TM or 25Me-N3TM	Test Nr.	Free base in nMol/kg	(mg free base)/ (75kg)	Applicati-on s.l. as HCl-salt in H2O	dura-tion	Short-stories
27			M=291 g/Mol				
28	C ₁₆ H ₂₁ NO ₂ S	1	2,8	0,06	20 min		no effects
29		2	7	0,15	30 min		unsure effects
30		3	21	0,46	30 min	short	above threshold
31		4	42	0,92	30 min	~3h	above threshold, psychedelic unsure
32		5	99	2,2	30 min	~4h	1,5 h ago!: shift in meaning, optic, thoughts, acustic, Psychedelic (+?), good sleep. Something anesthetic to tongue ?
33		6	127	2,8	33 min	~5h	sharp view; very o.k.; more intense coloures, psychedelic (+?)
34	2-(2,5-dimethoxy-4-methyl-phenyl)-N-(3-thienylmethyl)ethanamine	7	280	6,11	40 min	~5h	very positive; concentration only seemingly disturbed, increased sensibility of all senses, no body load. Psychedelic (+?); positive feeling; good sleep; guess as potent as 2C-D (or more), but more positive.
35	*(s.l. as powder)	8*	440	9,60	35 min*	~6h	positive, increased sensibility of all senses, slightly increased pulse. Compared to the psychedelic effect: may be a slightly uncomfortable coming up. Psychedelic (+); good sleep. reversibly anesthetic to the tongue; significantly more potent than 2C-D.

PEA-NB25diOMe

	A	B	C	D	E	F	G
1		Test Nr.	Free base in nMol/kg	(mg free base)/ (75kg)	Application s.l. as HCl-salt in H ₂ O	Duration	Short-stories(this drug seems to me has potential of beeing an antidepressant, therefor the focus of my tests is on that ques- tion).
2	2C-C-NB25diOMe		M=365,5 g/Mol				
3	or: 25Cl-NB25diOMe						
4	C₁₉H₂₄NO₄Cl						
5							
6		1	1,9	0,052	30' in the mor- ning	~3...?h	above threshold; more sensitive and optical details; at night instructive dream; backflash next morning in bed, smooth pleasant faintness; more in- tense than 2C-C
7		2	4	0,11	35' in the mor- ning	~3...?h	my bad cold increased; shouldn't go on trip! blood-pressure slightly decre- ased, pulse slightly increased; more sensitive and optical details, but bad humor because of a bad cold; sleep good, but depressions; will repeat un- der better conditions; more intense than 2C-C
8	2-(4-chloro-2,5-dimethoxy- phenyl)-N-[(2,5- dimethoxyphenyl)methyl] ethanamine	3	1,58	0,043	15' at 22:40h	?	good sleep, but a little bit not so deep as usual.; refreshed wake up in the morning without my usual long-lasting morning-depressions; throughout the day refreshed
9	or: 2-(4-chloro-2,5-dime- thoxy-phenyl)-N-(2,5-di- methoxy- benzyl)ethanamine	4	2,7	0,074	20' at 22:25h	≤ 12 h	good sleep, but a little bit not so deep as usual. Therefore perhaps a little bit to much for the aimed purpose: avoiding the morning depression; throughout the day refreshed
10		5	1,82	0,050	21' at 22:04h	?	good sleep; as test Nr. 3;
11		6	1,82	0,050	25' at 21:50h	?	good sleep; as test Nr. 3;
12	direct following Nr. 6	6a	0	0,000	next day		good sleep but bad dreams at wake-up;slight long lasting depressions whole day;
13		7	1,82	0,050	25' at 21:50h	?	good sleep, but sometimes long lasting phase of sleep-onset, with quickly changing artistic pictures;as test Nr. 3; throughout the day refreshed

PEA-NB25diOMe

	A	B	C	D	E	F	G
14		8	1,82	0,050	~30' at 21:00h	?	good sleep; as test Nr. 3;
15		9	2,7	0,074	25' at 22:30h	≤ 13 h	good sleep; as test Nr. 3;
16		10	2,35	0,064	20' at 22:25h	?	good sleep; as test Nr. 3;
17	direct following Nr. 10	10a	0	0,000	next day		good sleep but bad dreams at wake-up;slight depressions in the morning;
18	direct following Nr. 10a	10b	0	0,000	day after next		good sleep but bad dreams at wake-up;slight depressions in the morning;
19		11	2,35	0,064	20' at 23:10h	≤ 13 h	sleep not quite o.k., between 2:30 and 3:30h only half-asleep with restless pictures; sleep not quite o.k., a little bit not so deep as usual; throughout the day refreshed, but nevertheless don't feel well rested.
20	direct following Nr. 11	11a	0	0,000	next day		good sleep but bad dreams at wake-up; light depressions in the morning;
21	direct following Nr. 11a	11b	0	0,000	day after next		good sleep; very slight depressions in the morning; day quite o.k.
22		12	1,82	0,050	25' at 21:45h	≤ 12 h	sleep halfway o.k.; as test Nr. 3; throughout the day refreshed
23		13	1,58	0,043	25' at ~22:00h	≤ 12 h	good sleep;as test Nr. 3; throughout the day refreshed
24		14	2,2	0,060	25' at ~22:10h	≤ 12 h	sleep not quite o.k., sometimes only half-asleep with restless pictures; sleep a little bit not so deep as usual. No depressions
25	direct following Nr. 14	14a	0	0,000	next day		not so good sleep;slight depressions in the morning; whole day refreshed, but nevertheless don't feel well rested.
26	half an hour before: 43 mg Mescaline (M) as hydrogentartrate, oral empty stomach, ~8:30h;	15	8,2	0,225	27' at ~9:00h	~4-13h ?	psychodelic yes, but no Mescaline-typical visual effects; next three days without any depression! 17:45h very pleasant feeling, nearly euphoric; every surroundings seems very fresh to me; very good sleep at night; no body load, therefore next I will take more. Mix with M is it! 2C-C-NB25diO-Me is in rough estimate >10 times more intense than 2C-C;

PEA-NB25diOMe

	A	B	C	D	E	F	G
27		16	6,8	0,187	35' at 7:45h	3-?	9:40h breakfast; 10:00h fine structures and colours of the vicinity captivate the attention (micro-eyes); pleasant, only weak body reactions; 11:00h Nordic Walking more than 2h; weak-kneed, feel cold, thoughts clear, nevertheless with a dull sensation in my head simulating anaesthesia. Keen eyes-more aggressive. Optical perspectives not completely corrected by brain. blood pr. little bit down; pulse constant; psychedelic(~+); after just 3h beginning of coming down and smooth afterglow; refreshed and pleasant feelings; roughly estimated: >10 times more intense than 2C-C
28		17	1,4	0,039	s.l. 25' at 19:00h	≤ 13 h	good sleep at ~23:00h; 2-times I woke up feeling still significant effects each time. Depth of sleep was not completely satisfactory, but quite ok. 8:00h next morning still feel little effects, 11:00 nordic walking, and everything was ok; no depressions; whole day refreshed. taken before sleep, even small dose cause long and significant feeling of effects, may be caused by lower metabolic rate at night.
29		18	5,7	0,157	25' at 11:00h	≤ 10 h	nordic walking immediately (-5°C, strong wind), was very ok! 1h sleep in the afternoon. 20:45h still weak effects; all day ok! No depressions. Think that twice the amount would also be very ok (but will last even longer); throughout the day refreshed; rough estimate >10 times more intense than 2C-C;
30		19	1,4	0,039	25' at 21:50h	≤ 13 h	22:30h to bed; rel. strong effects during night, so sleep wasn't deep as usually; two times sleepless for longer period; next day not so well recovered, but of good spirits, lively, in a good mood; as test 23: taken before sleep, more intense and longer lasting effects even of small doses are to be expected.
31		20	1,4	0,039	35' at 6:00h	5...17(?) h	excellent smooth effects, world seems to me fresh and clear; psychedelic(+), inside view. 11:00h: 1,5h nordic walking, very beautiful; very nice coming down and afterglow; good day, no depressions. Next day: all ok, no depressions.


PEA-NB25diOMe

	A	B	C	D	E	F	G
32		21	8,9	0,244	24' at 8:00h	>8h...?	8:30h smooth response, 9:00h stronger; 9:40h shopping, no difficulties, little talk with a friend: nice and totally loose. 10:15h 2h nordic walking, very nice, no stress. 450 to 500µg may be also o.k.(I thought in that moment!). 12:40h little lunch with fish, bread+butter, tee. Some very deep impressions of the surrounding. 13:00h unconcentrated, still powerful. Deep sleep for ~1½ h, very restful. 16:00h drug still working, but descending. Feel refreshed and exhausted at the same moment. 23:00h to bed, sleep very good, no deminished depth of sleep.
33		22	0,0	0,000	-		Next day little bit exhausted, mainly by nordic walking (wich was much more intensiv compared without the drug). Next time 350µg only (instead of 450µg!). 11:00h short nap, and I was very refreshed. I am in a good shape.
34		23	6,9	0,189	25' at 8:40h	>8h...?	
35	7:00h ~50mg Mescaline o.e.s. 8.4.2013	24	8,9	0,244	25' at 7:40h	>8h...?	8:45h rel. Uncomfortable coming up: threatening fear (fear only!) of hopeless depression. 9:30h bad feeling did'nt stop. 10:30h full up! 10:45h 2h nordic walking. Principely o.k. But my impressions were slowed down, similar by a filter, or a fog, feeling of restriction, controlled from afar, without contact to the surrounding environment. Such feelings at higher doses may lead to a horrotrip. 13:00h little bit morphing. 13:30h slowly went down. I did not drop me-internally. Afterglow also not so impressiv as usually, but nothing else of depression. A little bit komplex trip!
36	approximately! 6 µg	25	0,2	0,006	~20'at 23:30	?	shortly before sleep, 8h refreshed sleep, o.k; wake up in the morning without the usual depressive fearfull feelings and thoughts. All day o.k., so it seems to me, that even very low dosis in the evening can diminish depressions at the following day (in my case of course!). At night/sleep works more intensiv and with other quality than at day.
37							


PEA-NB25diOMe

	A	B	C	D	E	F	G
38	approximately! 7 µg	26	0,3	0,007	~15'at 15:00	>8h...?	15:30 relatively strong response, bad concentration. Everything quite normal, but overhanging objects (echoing a little bit LSD). Intense impressions, nervous. 21:00 still working. 23:00 to bed, good sleep, but seems to be not as deep as usually. 15:30 Schach mit Freund, 2 Spiele verloren, unkonzentriert, vergleichsweise (für die geringe Menge !) starke Wirkung. Alles wie sonst, kam mir aber vor wie auf einem anderen Planeten, nach vorne ausladende Gegenstände erlebte ich überdimensional, obwohl sie normal blieben bei genauerem Hinsehen (echoing ein wenig LSD). Intensive Eindrücke, etwas nervlich aufgewuehlt. 21:00 Noch Wirkung, allmaehlich abflachend. 23:00 Zu Bett, gut geschlafen, schien jedoch etwas weniger tief als ueblich.
39	direct following Nr. 26	27	0	0,000	next day	-	~8:00: Next day woken with a nightmare; depressively in the morning, in the afternoon better. This time 2C-C-NB25diOMe was not antidepressant. Physically quite cheerfully, but spiritual depression. All together astonishingly that this small quantity showed thus a relatively strong effect. Setting probably especially sensitively at the moment, presumably caused by a still continuing bad cold since two months; probably comes here that I was teetotal since ~5 weeks. ~8:00: Am nächsten Tag aufgewacht mit einem bedrueckenden Traum, depressiv vormittags, nachmittags besser. Hat also diesmal nicht antidepressiv gewirkt. Koerperlich schon ganz munter, aber geistige Depression in dem Sinne: „Alle, ich eingeschlossen, taeuschen sich und andere ueber die Sinnlosigkeit ihrer Existenz hinweg. Spaeter: der Sinn liegt nur in der reinen Existenz, in diesem Körper. Ich (mein Ich) bin mit ihm entstanden und werde mit ihm vergehen. Kann das nicht akzeptieren.“ Insgesamt erstaunlich, dass diese geringe Menge so eine vergleichsweise starke Wirkung zeigte. Setting wohl besonders sensibel zur Zeit; kommt hier wohl hinzu, dass ich seit ~2½ Monaten eine starke Erkaeltung habe und seit ~5 Wochen abstinent war.


PEA-NB25diOMe

	A	B	C	D	E	F	G
40		Test Nr.	Free base in nMol/kg	(mg free base)/ (75kg)	Application s.l. as HCl-salt in H2O	Duration	Preliminary Summary / Résumé
41	2C-D-NB25diOMe		M= 345 g/Mol				
42	or 25Me-NB25diOMe						
43	C₂₀H₂₇NO₄						
44							
45		1	6,03	0,156	~30' at 22:15h	~3-6h(?)	Unambiguous response, smooth, light, pleasant. Sleep o.k. depth of sleep was hardly disturbed ; more sensitive and optical details; less stimulating/potent than 2C-C-NB25diOMe; another quality of the effects than 2C-D/2C-C; psychedelic ~(+); 12h later still some weak effects. In the morning: lower central/anti-depressing effects left compared with the 2C-C-analog, a little exhausted comparable with alcohol (but no headaches); ~5 (or more) times more intense than 2C-D
46		2	3,31	0,086	~30' at 21:00h	>4h	unambiguous response, smooth, light, pleasant. Sleep quite o.k. depth of sleep was hardly disturbed ; sychodelic: ~(+); a little exhausted comparable with alcohol (but no headaches!), a little bit depressed; more intense than 2C-D
47	2-(2,5-dimethoxy-4-methyl-phenyl)- N-[(2,5-dimethoxyphenyl)methyl] ethanamine direct following Nr. 3	2a	0,00	0,000	next day	-	in the morning depressed because of bad dream/emotion/feeling, after-noon o.k.
48	or: 2-(4-methyl-2,4-dime- thoxy-phenyl)-N-(2,5-dime- thoxy-benzyl)ethanamine	3	0,48	0,012	~15' at 20:15h	>7h	to bed at ~22:30h; smooth, velvety mood, little bit a destabilized sight. Depth of sleep was a little bit disturbed; more tinnitus; don't keep always a level head as with the 2C-C-analog: nearly not so pleasant holiday resort.
49	direct following Nr. 3	3a	0,00	0,000	next day	-	All day long on the ball, no depressions! Communicative, a little bit euphoric.


PEA-NB2OEt5Cl

	A	B	C	D	E	F	G
1		Test Nr.	Free base in nMol/kg	(mg free base)/ (75kg)	Application s.l. as HCl- salt in H ₂ O	Dura- tion	Short-stories
2	2C-C-NB2OEt5Cl		M [g/Mol]=				
3	or: 25Cl-NB2OEt5Cl		384,9				
4	C₁₉H₂₃NO₃Cl₂						
5		1	0,79	0,023	30' at 12:25h	≥5h...? h	Substantially more than threshold; more sensitive and optical details; seems to have the potential of powerful effects, but far too strenuous for soul and body: sometimes „hammer hard“; physical weakness, lack of concentration. Later better, 15:15h nordic walking very beautiful, back 17:00h still slight effects - unsure about the quality; afterglow also not so convincing to me; next two days bad cold, muscle ache (nordic walking), but no depression. Even more powerful than 2C-C-NB2OMe5Cl, but psychedelic effects too small compared with the occasional hammer-hard-effects of body and soul.
6	2-(4-chloro-2,5-dimethoxy-phenyl)- N-[(5-chloro-2-ethoxy-phenyl) methyl]ethanamine or: 2-(4-chloro-2,5-dime- thoxy-phenyl)-N-(2- ethoxy-5-chloro- benzyl)ethanamine	2	1,09	0,031	25' at 21:00h	≥6h...? h	22:00h feel my stomach, but not uncomfortable; stimulated: breathing, erotic, shift in meaning and sight; during the next course throughout inspiring; weakly stunning ~like GHB, only little micro-view or psychedelic; 23:45h to bed, next day 3:00h material still acting, pleasant, fall asleep again. ~8:00h all ok; wonderful breakfast, communicative, fresh impacts, no depressions, depth of sleep was perhaps not as deep as usual; psychedelic potential specially in the afterglow. Two days later: good mood, communicative, no depressions. Three days later: still quite good mood. Four days later: not so good, slight depressions.
7		3	0,71	0,020	40' at 19:00h	≥4h...? h	20:30h first response; 20:50h bad concentration, strong effect; dull-pressing but not serious ache in stomach disappeared quickly; 22:25h being in a good mood, perhaps more aggressive/irritable than normally. 23:00h to bed, sleep well, but not as deep as usual, material worked all night. 7:00h next day rised, feeling somewhat broken, unstable and strained, comparable to alcoholic hang-over (but without headaches etc.), in so far: psychedelic. Two days later still little aftereffects, no depressions. This was, I think, the last test with this material for me. Other people may like it!


PEA-NB2OEt5Cl

	A	B	C	D	E	F	G
8		4	0,85	0,024	25' at 15:45h	≥6h...? h	16:30h brisk walking for 1½ h, very beautiful, windy, cloudy, sunny, cool weather. 19:30h even more power: clear thoughts and quick formulations of them, of good spirits, lively, enjoying life, witty. 20:20h still going on. 22:00h still little but significant power. 22:30h calm coming down. 23:00h going to bed, sleep was o.k. Very slight anti-depression effects even two days later. Suppose toxic region at very low doses. Long lasting.
9	General remarks:		(Uncertainties of all doses were ~ ± 25%)			undefined end	Very potent material, but too long-lasting and strenuous for me. Other quality and more active than the analogue 2C-C-NB2OMe5Cl. I myself found body load remarkable. May be a potent antidepressant at very low doses of let say <20µg s.l. However, what is striking is the fact that the following two or even three days I could feel a significant anti-depression-effect. For these tests introduced here, this resulted in my following working hypotheses which were to be verified: the mental shock during the trip seems to loosen the psyche even in those case, where the trip itself was not so positive.
10	During preparation of 2C-C-NB2OEt5Cl one of the reactants vapour caused allergic irritation to my face, so one way gloves are recommended and inhalation should be avoided. Do not breathe vapours, wash contaminations vigorously with soap and water!						←Recrystallization of 10 mg of 2C-C-NB2OEt5Cl•HCl from 4 mL water yielded long thin needles.
11							
12							
13							
14							
15							
16							
17							

PEA-NB2OEt5Cl

	A	B	C	D	E	F	G
18		Test Nr.	Free base in nMol/kg	(mg free base)/ (75kg)	Application s.l. as HCl- salt in H ₂ O	Dura- tion	Short-stories
19	M-NB2OEt5Cl		M [g/Mol]=				
20	or: 345-NB2OEt5Cl		379,9				
21	C₂₀H₂₆NO₄Cl						
22		1*	11	0,31	~20' at 18:00h	some h	Comfortable, clear glance to the surroundings. Depth of sleep slightly deminished (after cross country, hotel!)
23							
24		2*	22	0,63	~20' at 16:00h	>6h...?	Suddenly after some minutes seems to me dissappearing a grey bloom from the world. A very pleasant soft feeling of cleanliness. 22:30 to bed, sleep was not as deep as usual (but affected by longlasting crosscountry before). However next day fresh mood, efficient in crosscountry skiing.
25							
26		3*	55	1,6	~20' at 8:30h	>6h...?	9:00h: 1h walking extremely smoothly. Weather 0°C, foggy; communicative with my wife, deep nature appreciation, slightly euphoric. 13:20h: Good trip. 15:00h: after short sleep still good feeling, outside snowing, pleasant afterglow.
27							
28	Or: 2-(3,4,5-trimethoxyphenyl)-N-(2-ethoxy-5-chloro-benzyl)ethanamine	4*	93	2,6	18' at 8:45h	>7h...?	10:00h: nordic walking, 0°C, 1¼ h; effects hardly surpass 1,6mg; 16:00h: finish, but some hours still very comfortable pleasant afterglow. 23:30h: to bed, good sleep; 6:30h next day: rised
29	next day after test 4	4.1	0	0,0	next day		Spent a nice day without depressions, communicative, without nap after lunch, sitting in the sun: first sunny day after weeks; felt very little positive afterglow.
30	two days after test 4	4.2	0	0,0	next day		Without any depressions, communicative, vivid. Think still little after-effects of test 4.
31							

PEA-NB2OEt5Cl

	A	B	C	D	E	F	G
32		5*	87	2,5	~17' at 8:50h		10:00h: nordic walking 1¼ h, sunny day but ≤0°C, snow on the jogging-path, difficult to go, nice trip, coming in waves, sight strong sharp, moving meanings; 16:00h: slowly coming down with very good afterglow. 18:30h: still afterglow. 22:30h: marvellous sleep
33	next day after test 5	5.1	0	0,0	next day		Feeling somewhat unstable and strained, comparable to alcoholic hang-over (but without headaches etc.), in so far: psychodelic; but had a good day without depressions.
34							
35	*uncertainty of dose was ≈ ± 30%	6*	174	5,0	25' at 11:10h		12:00h: 1½ h nordic walking, coming up was not so a comfi couch; eyes were irritated in somewhat way, not good feelings, but set & setting were not at optimum. 12:45h: suddenly good feeling, nearly euphoric. ~15:00h: 2h deep sleep, recreated; after-effects not so comfortable, nevertheless quite good right. ~24:00h: to bed and good sleep (deep of sleep not disturbed!)
36	next day after test 6	6.1	0	0,0	next day		8:00h: wakeup. No depression at wakeup, nevertheless some houres feelings of senselessness of my life; that was gone during the morning. tv-film: I understood nearly all! Normally I don't understand speaking so good, minor hearing defects may be sometimes caused by depressions, so I have been told. Better with this substance? 24:00h: Deep erotic feeling, sleep very good, deep.
37	two days after test 6	6.2	0	0,0	next day		8:00h: wakeup. No depression at wakeup, with profound empathy, communication full of vitality.
38							
39	general remarks:				←crystals from the mother-liquor		Optics, euphoria and psychodelia don't reach that of Mescaline or LSD, may be at higher doses. Higher doses than let say 3mg let increase the uncomfortable side effects. Therapeutical index seems to be to small to me. But there is some potential in the feeld of beeing antidepressiv and entactogenic at very low doses of let say 0.1 to 1mg s.l. In so far may be helpful in psycholysis.